



GOODYEAR

WWW.GOODWAY.COM

Big Results Come From Our Smallest CoilPro® Ever

NEED TO CLEAN COILS WHERE THERE IS NO POWER AND NO WATER?...NO PROBLEM!



CC-JR – Compact

The CoilPro line of coil cleaners has become the industry standard for HVAC maintenance professionals. In a constant effort to provide our customers with products designed for their specific application, the CC-JR CoilPro. was created. The CC-JR has all of the unique features you would expect, with a few extra for good measure: including a powerful 125 PSI pump, long lasting deep cycle battery, operator controlled chemical injection and custom accessories. It's all packed into a portable ergonomic design making it easy to transport from job to job. You'll find the CC-JR CoilPro perfect for smaller roof top units, hard to reach air handlers, and refrigeration condenser coils.

CC-JR

CC-JR CoilPro Battery Powered Coil Cleaner, including 10' self coiling hose, spray gun, 3' sectional 3/8" diameter stainless steel condenser wand, two nozzles (flat spray and pinpoint), and a 1 gallon bottle of CoilShine®



Note: See pages 70-71 for accessories.

COILSHINE Coil cleaning solution, case of four 1 gallon bottles

FEATURES

- > Deep cycle 12 V rechargeable battery
- > Integrated 3.3 gallon water tank and 1.75 quart chemical tank
- > Adjustable control valve to inject chemicals from a 30:1 to 6:1 ratio
- > 3' sectional 3/8" diameter stainless steel condenser wand
- > Heavy duty adjustable carrying strap with shoulder pad
- > Wide variety of custom attachments

| Specifications | CC-JR |
|-----------------------|---|
| Motor Power | 0.2 HP |
| Input Power | 12 amps, 12 V, DC rechargeable VRLA battery |
| Recharge Power | Standard: 0.3 amps, 115 V, 50/60 Hz AC Optional: 0.2 amps, 230 V, 50/60 Hz |
| Water Requirements | On-Board |
| Output Water Pressure | 125 PSI |
| Output Water Flow | 0.6 GPM |
| Pump | Positive displacement diaphragm |
| Water Tank | 3.3 gallons |
| Soap Tank | 1.75 quarts |
| Dimensions | 19" high x 18" wide x 10" deep |
| Weight | 20 lbs net dry; 55 lbs at 3.3 gallons water and 1.75 quarts chemical |



Hard-To-Reach Coil Cleaning Made Easy

JUST STRAP ON FOR COMPLETELY MOBILE COIL CLEANING IN A COMPACT PACKAGE.

CC-100 – Flexible and Fully Integrated

It's no wonder why the CC-100 CoilPro® has every feature you're looking for in a portable backpack cleaner. The reason is because it was designed with input directly from customers like you. Get the full cleaning power of larger

units plus complete freedom of motion thanks to a rechargeable battery and an on-board water reservoir. Chemical cleaning is as easy as pushing a button with an integrated chemical tank and control wand. A gallon of CoilShine® cleaning solution is included for tough, fume-free cleaning. An optional dolly makes the CC-100 ready to roll at a moment's notice.

CC-100

Backpack CoilPro Battery Powered Coil Cleaner, including 10' self coiling hose, spray gun with 18" wand, three nozzles (foaming, flat spray and pinpoint), and a 1 gallon bottle of CoilShine



PATENTED



CC-100-D

CoilPro Coil Cleaner, including 10' self coiling hose, spray gun with 18" wand, three nozzles (foaming, flat spray and pinpoint), wheel and dolly assembly, and a 1 gallon bottle of CoilShine

Note: See pages 70-71 for accessories.

COILSHINE Coil cleaning solution, case of four 1 gallon bottles



FEATURES

- > Deep cycle 12 V rechargeable battery
- > Integrated 5 gallon water tank and 3 quart chemical tank
- > Button to inject chemicals at 6:1 ratio (can be factory adjusted)
- > 18" wand and three custom nozzles
- > Optional wheel and dolly kit
- > Wide variety of custom attachments

| Specifications | CC-100 |
|-----------------------|--|
| Motor Power | 0.1 HP |
| Input Power | 4 amps, 12V, DC rechargeable VRLA battery |
| Recharge Power | Standard: 0.3 amps, 115 V, 50/60 Hz AC Optional: 0.15 amps, 230 V, 50/60 Hz |
| Water Requirements | On-Board |
| Output Water Pressure | Adjustable, 40-100 PSI |
| Output Water Flow | Adjustable, 0.25-0.5 GPM |
| Pump | Positive displacement diaphragm |
| Water Tank | 5 gallons |
| Soap Tank | 3 quarts |
| Dimensions | 24" high x 19" wide x 14" deep |
| Weight | 25 lbs net dry; 50 lbs at 2 1/2 gallons water and 1 1/2 quarts chemical (maximum for backpack use); 75 lbs fully loaded (for dolly use only) |

Safe For Your Coils And For You

SOME COIL CLEANERS DO MORE HARM THAN GOOD.



FEATURES

- > Deep cycle 12 V rechargeable battery or AC power input
- > Integrated 5 gallon water tank and 5 gallon chemical tank
- > Control valve to inject chemicals at 6:1 ratio (can be factory adjusted)
- > 18" wand and four custom nozzles
- > Heavy-duty ergonomic cart with stair glides
- > Wide variety of custom attachments

| Specifications | CC-140 |
|-----------------------|--|
| Motor Power | 0.2 HP |
| Input Power | Standard: 12 amps, 12 V, DC rechargeable VRLA battery or 3 amps, 115 V, 50/60 Hz AC Optional: 1.5 amps, 230 V, 50/60 Hz |
| Recharge Power | Standard: 1 amp, 115 V, 50/60 Hz AC Optional: 0.5 amps, 230 V, 50/60 Hz |
| Water Requirements | On-Board or minimum 20 PSI at 1.5 GPM |
| Output Water Pressure | Variable, 40-140 PSI |
| Output Water Flow | Variable, 0.25-1 GPM |
| Pump | Positive displacement diaphragm |
| Water Tank | 5 gallons |
| Soap Tank | 5 gallons |
| Dimensions | 44" high x 26" wide x 18" deep |
| Weight | 75 lbs net dry |

CC-140 – The Right Touch

Beware of “coil cleaners” that can actually damage coils and create noxious fumes. The award-winning CC-140 CoilPro® applies a thick layer of non-fuming CoilShine® expanding foam cleaner to loosen stuck-on deposits right before your eyes. With pressure regulation at your fingertips, you can quickly flush loosened deposits down the condensate drain without damaging the delicate fins or overwhelming the drain pan. And since dirty coils won't come to you, the CoilPro includes a built in ergonomic dolly with stair glides. For total mobility, just flip a switch and go from AC power to the on-board 12 V rechargeable battery. A control valve allows you to choose from a garden hose water supply or either of the two integrated tanks.

CC-140

CoilPro Battery Powered or 115 V Coil Cleaner, including 25' hose, spray gun with 18" wand, four nozzles (foaming, two flat spray and pinpoint), and a 1 gallon bottle of CoilShine

Note: See pages 70-71 for accessories.

Wet/Dry Coil Cleaning System:

An unbeatable package. The CC-140-KIT combines the CC-140 with our CoilVac® (see page 10) for a complete coil cleaning system.

CC-140-KIT

Same as CC-140 with a CoilVac Dry HEPA Vacuum, CoilVac mounting bracket and tool bin

COILSHINE Coil cleaning solution, case of four 1 gallon bottles



Turn Up The Pressure On Dense Coil Beds

HERE'S A SIMPLE WAY TO TACKLE MULTI-PASS COIL CLEANING.

CC-600 – Powerful and Portable

High flow is the way to go for cleaning thick, hard-to-reach coil beds. The CC-600 High Flow CoilPro® is powerful enough to penetrate coil beds up to 8" thick. It connects to a water line for continuous flow or it can draw from two internal 5 gallon tanks for remote or hard-to-reach jobs. The CC-600 applies a thick layer of cleaner through the same custom foaming nozzle featured in our award-winning CC-140 CoilPro. For environmentally friendly, fume-free cleaning, our expanding-foam detergent, CoilShine®, is the only choice. And it's included with the High Flow CoilPro. Whether you're inside or outdoors, the CC-600 High Flow CoilPro is the preferred choice for heavy-duty coils.

CC-600

High Pressure CoilPro Coil Cleaner, including 25' hose, spray gun with 18" wand, three nozzles (foaming, flat spray and pinpoint), and a 1 gallon bottle of CoilShine

Wet/Dry Coil Cleaning System:

The CC-600-KIT combines the CC-600 with our CoilVac® (see page 10) for a complete coil cleaning system.

CC-600-KIT

Same as CC-600 with a CoilVac Dry HEPA Vacuum, CoilVac mounting bracket and tool bin

COILSHINE Coil cleaning solution, case of four 1 gallon bottles

Note: See pages 70-71 for accessories.



PATENTED

FEATURES

- > 600 PSI at 1.6 GPM
- > Integrated 5 gallon water tank and 5 gallon chemical tank
- > Control valve to inject chemicals at 6:1 ratio (can be factory adjusted)
- > 18" wand and four custom nozzles
- > Heavy-duty ergonomic cart with stair glides
- > Wide variety of custom attachments



| Specifications | CC-600 |
|-----------------------|--|
| Motor Power | 1.3 HP |
| Input Power | Standard: 13 amps, 115 V, 60 Hz AC Optional: 6.5 amps, 230 V, 50 Hz |
| Water Requirements | On-Board or minimum 20 PSI at 2.1 GPM |
| Output Water Pressure | 600 PSI |
| Output Water Flow | 1.6 GPM |
| Pump | Positive displacement diaphragm |
| Water Tank | 5 gallons |
| Soap Tank | 5 gallons |
| Dimensions | 44" high x 26" wide x 18" deep |
| Weight | 85 lbs net dry |

The Perfect Balance Of Water Pressure & Volume

FOR THICK HVAC/R COILS AND TOWER FILL



CC-400HF – Deep Clean

This innovative system delivers 400 PSI of cleaning power at 3 GPM to quickly and safely flush dirt, debris, biological growth and more from thick evaporator and condenser coils. Traditional pressure washers damage coils with high pressure spray. The CoilPro CC-400HF comes with a variety of wand attachments to match your application. Add CoilShine® coil cleaner solution to clean even better!

CC-400HF

HiFlo Coil Cleaner, including 12' hose, spray gun, 3' sectional 3/8" diameter stainless steel condenser wand, 18" wand, two nozzles (soap and flat spray), and a 1 gallon bottle of CoilShine

FEATURES

- > 400 PSI at 3 GPM
- > Siphon tube to inject chemicals at 10:1 ratio
- > 12' hose (additional 12' extension hoses available)
- > 18" wand and two custom nozzles
- > Wide variety of custom attachments
- > On-board storage of cord and accessories

| Specifications | CC-400HF |
|-----------------------|--------------------------------|
| Motor Power | 1 HP |
| Input Power | 15 amps, 115 V, 50/60 Hz AC |
| Power Supply Cord | 25', 14-3 GFCI |
| Water Requirements | Minimum 20 PSI at 3 GPM |
| Output Water Pressure | 400 PSI |
| Output Water Flow | 3 GPM |
| Pump | Axial |
| Dimensions | 13" high x 30" wide x 12" deep |
| Weight | 45 lbs net dry |



400 PSI. 3 GPM.

Optional:

RCC-13 Extension hose, 12'

QDN-LP25 Replacement Foaming Nozzle

QDN-1512Y Replacement Flat Spray Nozzle

RCC-10-SK Water Seal Kit



CoilShine high performance alkaline coil cleaner works quickly by using foaming agents and detergent to safely lift dirt from deep inside coils.

COILSHINE Coil cleaning solution, case of four 1 gallon bottles



How dirty coils negatively affect cooling capacity and energy efficiency.

Dirty Evaporator Coils:

UP TO

40%

REDUCED COOLING
CAPACITY

UP TO

35%

REDUCED ENERGY
EFFICIENCY

Dirty Condenser Coils:

UP TO


40%

REDUCED COOLING
CAPACITY

ABOUT

60%

REDUCED ENERGY
EFFICIENCY



The Dry HEPA Safe Solution For Cleaning Coils

USE THE COILVAC® HEPA VACUUM FOR DRY COIL CLEANING.



FEATURES

- > Large HEPA filter
- > 2 quart paper filter collection bag
- > Matching intake and exhaust couplings allows for use as a vacuum or a blower
- > Two speed settings to match application
- > 58 dBA (at low speed) and 68 dBA (at high speed) for quiet operation
- > Steel tank and chromed end caps
- > Carrying handle and shoulder strap
- > Custom accessories specifically designed for coil cleaning applications

| Specifications CVC-100 | |
|------------------------|--|
| Motor Power | 4 HP |
| Input Power | Standard: 12 amps, 115 V, 50/60 Hz AC Optional: 6 amps, 230 V, 50/60 Hz |
| Power Supply Cord | 25', 18-3 |
| Static Water Lift | 70" or 90" (depending on speed setting) |
| Air Displacement | 60 or 70 CFM (depending on speed setting) |
| Filtration | 5 microns paper, 15 microns cloth, foam and 0.3 microns HEPA |
| Tank | Polished steel |
| Dry Capacity | 2 quarts |
| Noise Level | 58 or 68 dBA (depending on speed setting) |
| Dimensions | 18" long x 6 1/2" diameter |
| Weight | 9 lbs |

CVC-100 – Two-Speed Vacuum and Blower

The CoilVac Dry HEPA vacuum is so effective at removing heavy deposits from coils, you'd swear it was a water-based cleaner if you didn't know better. Not only does a 4 HP motor provide you with powerful suction action, it also doubles as a blower with two speeds in either setting. How's that for versatility! This reliable HEPA cleaner with four-stage filter allows only safe air to pass through its exhaust. It also includes a variety of accessories designed for every tight corner and hard-to-reach space you're likely to encounter. An optional Dolly Mounting Kit makes the CVC-100 the perfect companion for your other quality Goodway coil cleaners, like the CC-140 CoilPro®.

CVC-100

CoilVac Dry HEPA Vacuum, including filters, steel tank, 6' vinyl crush proof hose, two piece 36" wand, 19" flexible extension wand, 3" dual bristle dusting brush, 3" long bristle dusting brush, 5" blower/bulk pickup nozzle, four piece 29" flat wand with crevice tool tip and 6" flat brush, and 48" shoulder strap

Optional:

CVC-CC-BRACKET CoilVac Dolly Mounting Kit to attach the CoilVac to a CC-140 or CC-600 CoilPro Coil Cleaner (see page 71)

Replacement Bags and Filters:

9955-10 Cloth Filter, 15 microns

CVC-FILTER-FOAM Foam Filter

CVC-FILTER-HEPA HEPA Filter, 0.3 microns

CVC-PFILTER-12 Paper Filter Collection Bag, 5 microns (package of twelve)



It Pays To Be Prepared

COILPRO® ACCESSORIES

90° Wands:

This ultra thin wand is designed to slip between the fan guard grating of condenser units, allowing you to thoroughly clean the coils from the inside, without having to remove the top of the unit. Spraying the coils in this direction, opposite to normal air flow, provides for a more thorough cleaning of the unit.

8945 Wand, 90° Spray Wand, 36" (for CC-JR, CC-100, CC-140 and CC-600)

8945-48 Wand, 90° Spray Wand, 48" (for CC-JR, CC-100, CC-140 and CC-600)

Nozzles, Extension Wands and Adapters:

8945-FLEX-24 Flexible Extension Wand, 24" (for CC-JR, CC-100 and CC-140)

9618 Rollover Nozzle Assembly

9650 Flexible Extension Wand, 10"

9654 Pinpoint Foaming Nozzle

9655 Extension Wand, 18"

9656 Extension Wand, 24"

9657 Extension Wand, 36"

9658 Extension Wand, 48"

9659 Extension Wand, 60"

QDN Quick Connect Nozzle

Note: When placing order, specify nozzle spray pattern and machine (i.e. 25° cleaning nozzle for CC-140).

QDN-45 Adapter, 45°

QDN-90 Adapter, 90°



Coil Cleaning Kits:

CC140-COIL-KIT Our most commonly purchased CC-140 coil cleaning package for tackling vertical fan coils, PTAC units, air handlers and condenser coils. Includes CoilShine cleaner, COILSHINE-BC mold inhibitor post cleaning treatment and condensate drain pan tablets.

CCJR-COIL-KIT Same as above. Does NOT include red water supply hose

Wheel and Dolly Kit:

This kit allows you to attach wheels and a dolly handle to the CC-100 Backpack CoilPro for easy mobility.

9683 Wheel and Dolly Kit

CoilVac® Dolly Mounting Kit:

This kit allows you to attach the CoilVac to either a CC-140 or CC-600 CoilPro to create a complete coil cleaning system. The kit's brackets and accessory bin attach to the CoilPro's dolly with no modifications needed. All fastening hardware is included, just bolt on the two support brackets and the accessory bin. The CoilVac can be used while mounted to the dolly, and the bin holds all the tools and extra collection bags you may need in a compact and efficient package.

CVC-CC-BRACKET CoilVac Dolly Mounting Kit to attach the CoilVac to a CC-140 or CC-600 CoilPro Coil Cleaner



Fight Harmful Build-Up

COMMERCIAL GRADE, EPA REGISTERED FORMULA

GOODWAY COIL CLEANING CHEMICALS

CoilShine®:

CoilShine is an environmentally friendly, biodegradable, expanding foam detergent specifically formulated for use with the CoilPro units. This unique solution penetrates deep into coil beds for thorough cleaning. It is user friendly, non-acidic, and non-fuming, allowing it to be used in occupied areas and safely washed down drains.

COILSHINE Coil Cleaning Solution, case of four 1 gallon bottles

COILSHINE-5 Coil Cleaning Solution, 5 gallon bucket

COILSHINE-55 Coil Cleaning Solution, 55 gallon drum (not shown)

CoilShine-BC:

CoilShine-BC (Bio-Clean) is EPA registered for application to all components of HVAC systems. It is an environmentally friendly, commercial grade, biodegradable, ready-to-use Bacteriostat, Fungistat and Mildewstat. It is formulated to be applied with the CoilPro in air handlers, air ducts, drain pans and other HVAC components to help prevent the growth of odor, stain and damage causing organisms including bacteria, fungi, mold and mildew.

COILSHINE-BC Bacteria, Fungi, Mold and Mildew Inhibitor Solution, case of four 1 gallon bottles

Drain Pan Biocide Tablets:

Got condensate drain pans? Then you've got trouble! HVAC condensate drain pans are breeding grounds for slime, sludge and toxic bacteria like Legionella Pheumophila (Legionnaire's Disease). Not only can this build up of debris cause clogging of the drain lines resulting in water overflow and damage to the building, but the bacteria can become airborne resulting in "sick building syndrome" and health problems for the building's occupants. How can you fight this harmful build-up of debris in your drain pans? Use PanCare from Goodway on a regular basis! PanCare is an EPA registered biocide. It is formulated to help prevent the build-up of slime and bacteria in HVAC condensate drain pans. It kills 99% of Legionella Pheumophila and Salmonella Typhii Bacteria. It also contains a rust inhibitor. Each tablet is weighted to prevent floating and will work for up to 3 months, on a 3 to 5-ton or a 45-ton system (depending on tablet) providing a constant release of biocide into the water.

PANCARE-24 PanCare Biocide Tablets for a 3 to 5-ton system, one case (24 tablets)

PANCARE-45-6 PanCare Biocide Tablets for a 45-ton system, one case (6 tablets)

