

Up To 24.000" O.D. (609.6 mm)

Versatile, Reliable


The H&S Tool RS24 reciprocating saw is a versatile, reliable tool that can cut up to 24.000" (609.6 mm) diameter.

It is used as a hand held tool on small diameter applications. For larger diameters, a variety of clamping devices, saw blades and accessories enable cutting tubes, pipes and even structural steel. An optional automatic feed for hands-free operation is also available.

The powerful, reliable 1.5 h.p. (1.1 kW) pneumatic motor cycles up to 330 strokes per minute. The blades are made of high quality steel and are quickly and easily replaced for maximum cutting efficiency.

The bow option (shown on pipe) provides stability and increases accuracy. Small and large bows are offered. They limit maximum pipe size in a single set up to the "A" dimension.

- A Small..... 13.000" (330.2 mm)
- A Large..... 21.000" (533.4 mm)
- B..... 30.000" (762.0 mm)
- C Small..... 20.000" (508.0 mm)
- C Large..... 26.000" (660.4 mm)



- Excellent Power-To-Weight Ratio
- Safe, Reliable Pneumatic Power
- Cuts Pipes And Structural Steel Materials
- 24.000" (609.6 mm) Maximum Diameter Working Range
- Optional Automatic Feed
- Many Blade Sizes And Accessories



Specifications*

Working Range.....	Up to 24.000" (609.6 mm) O.D.
Pneumatic Motor	1.5 H.P. (1.1 kW)
Recommended Air Pressure	90 PSI (6.1 Bar)
Recommended Volume	51 CFM (1.5 m ³ /min.)
Strokes per Minute	100 - 350
Length of Stroke	2.375" (60.3 mm)
Length (Base Plate to Tail).....	30.000" (762.0 mm)
Weight, Motor Only.....	15.0 lbs. (6.8 kg)

*Specifications are subject to change without notice.